

THIRD SEMESTER B.Sc. DEGREE EXAMINATION, NOVEMBER 2010

(CCSS)

Chemistry—Core Course

CH3 B05—PHYSICAL CHEMISTRY—I

Time : Three Hours

Maximum Weightage : 30


I. Answer all the questions. Each question carries a weightage of ¼. This section contains multiple choice, fill in the blank and one word answer questions :

- 1 The average distance between successive collisions between gas molecules is called.
- 2 The velocity possessed by largest number of molecules in a gas is _____.
- 3 Give the SI unit of molar refraction.
- 4 Name the apparatus used to determine the surface tension of a liquid.
- 5 If the two systems are at thermal equilibrium, they will have same :
 - (a) temperature.
 - (b) pressure.
 - (c) volume.
 - (d) number of moles.
- 6 A process which occurs infinitesimally slowly and which is virtually at equilibrium at every stage of the process is a :
 - (a) spontaneous process.
 - (b) isothermal process.
 - (c) reversible process.
 - (d) isochoric process.
- 7 The temperature above which a gas is heated up when subjected to Joule-Thomson expansion is called _____.
- 8 Which of the following is the criterion for equilibrium ?
 - (a) $\Delta S_{T,P} = 0$.
 - (b) $\Delta S_{P,V} = 0$.
 - (c) $\Delta S_{T,V} = 0$.
 - (d) $\Delta S_{U,V} = 0$.
- 9 A collection of a very large number of assemblies which are independent of each other but macroscopically identical is called _____.
- 10 An electron is an example of :
 - (a) Boltzmannon.
 - (b) Boson.
 - (c) Fermion.
 - (d) Maxwellon.

Turn over

- 11 The equilibrium constant of a reaction increases with :
- increase in temperature if ΔH is positive.
 - decrease in temperature if ΔH is positive.
 - cannot be predicted.
 - can be predicted only with more data.

12 For the equilibrium,



the equilibrium constant K_p is equal to _____.

($12 \times \frac{1}{4} = 3$ weightage)

II. Answer all the questions. Each carries a weightage of 1 :


- Account for the influence of pressure on the melting point of ice using the Le Chatelier principle.
- What is Stirling's approximation ?
- Classify the following properties into intensive and extensive :
Pressure, Volume, Enthalpy, Molar Heat capacity.
- Calculate the work done when 14 g of nitrogen gas expands isothermally and reversibly from 2 L to 20 L at 27° C assuming ideal behaviour.
- Name *two* substances for which the entropy is not zero to zero Kelvin. Explain the reason for the same in one of the substances.
- Explain the use of viscosity measurements to determine the molecular mass of a substance.
- What is optical exaltation ? Give an example.
- Calculate the average velocity of SO_2 gas at 300 K.
- What is compressibility factor of a gas ? How can it be used to study the non-ideal nature of the gas ?

($9 \times 1 = 9$ weightage)

III. Answer any *five* questions. Each carries a weightage of 2 :

- Derive the van der Waal's equation of state and show how it can explain the PV-P graphs of real gas.
- Define parachor. Discuss its use in structure elucidation with suitable examples.
- Derive thermodynamically the relation between C_p and C_v . Show that it reduces to $C_p - C_v = R$ for an ideal gas.
- The vapour pressure of ethanol at 40°C is 135 torr and at 70°C is 542 torr. Calculate the molar heat of vaporisation of ethanol.

- 26 Discuss the criteria of reversible and spontaneous processes.
- 27 Calculate the rotational partition function of hydrogen at 400 K if its moment of inertia is $4.6 \times 10^{-48} \text{ kg m}^2$.
- 28 The equilibrium constant K_c for the dissociation of hydrogen iodide,



is 0.134. Calculate the amount of HI remaining at equilibrium when started with 12.8g of HI.
(5 × 2 = 10 weightage)

IV. Answer any *two* questions. Each question carries a weightage of 4 :

- 29 (a) Derive the van't Hoff reaction isotherm. How can it be used to predict the feasibility of a reaction.
- (b) Obtain the relation ; (i) between partition function and energy ; and (ii) between partition function and pressure.
- 30 Discuss the Carnot cycle and derive the expression for the efficiency of a reversible engine. State the Carnot theorem.
- 31 (a) Explain the use of limiting density method to determine the molecular mass of a gas. What is the advantage of the method ?
- (b) Calculate the coefficient of viscosity of hydrogen gas at 273 K given that its density is $8.9 \times 10^{-2} \text{ kg m}^{-3}$ and mean free path is $1.78 \times 10^{-7} \text{ m}$.
(2 × 4 = 8 weightage)